

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 1 of 12

**DONGGUAN LIYANG TOYS LTD.**  
**FLOOR 3, BUILDING 2, DAXINGWEI INDUSTRY, XIANXI, WUSHA, CHANG'AN TOWN, DONGGUAN CITY,**  
**GUANGDONG PROVINCE.**

Report on the submitted samples said to be:

Sample description : Jerome/7" Sensa Feel Dildo/7" Sensa Feel Dildo  
BL-55306/BL-36417/BL-36413  
(items that use the same material) :BL-12083, BL-12593, BL-26323, BL-26493,  
Style/Item NO. : BL-26497, BL-26913, BL-36446, BL-36447, BL-36463, BL-36467, BL-36493,  
BL-36497, BL-52383, BL-55307, BL-57323, BL-57593, BL-58323, BL-58793,  
BL-71803, BL-74803  
Product Application Scope : Women  
Color : Auna turel Brown/AUNATUREL Latin/ AUNATUREL Beige  
Brand : Blush  
Sample Receiving Date : February 16, 2017  
Testing Period : From February 16, 2017 to March 7, 2017  
Results : Please refer to next page(s).

Signed for and on behalf of

BACL

Checked by:

  
Jane Xu  
Technical Supervisor

Approved by:

  
William Wei  
Laboratory Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 2 of 12

\*\*\*\*\*

## Summary of Test Results)

<u>TEST REQUEST</u>	<u>CONCLUSION</u>
A US California Proposition 65. on Phthalates (DBP、BBP、DEHP、DnHP、DINP and DIDP) content	Pass*
B Phthalates (DBP、BBP、DEHP、DNOP、DINP and DIDP) content	Pass*
C Commission Regulation (EU) 2015/2030 and (EU) No 519/2012 amending Regulation (EC) No 850/2004 of the European Parliament and of the Council on Persistent Organic Pollutants - Alkanes, C10-13, Chloro (short chain chlorinated paraffins) content	Pass
D Entry 23 of Regulation (EC) No 552/2009 and 494/2011 amending Annex XVII of Reach regulation (EC) No 1907/2006 on Cadmium (Cd )content(formerly known as 91/338/EEC)	Pass
E Canada Products Containing Mercury Regulations (SOR/2014-254)	Pass
F Entry 50 of Annex XVII to Reach regulation (EC) No 1907/2006 and its amendment directives on PAHs content	Pass
G Entry 20 of Regulation (EC) No 552/2009 and 276/2010 amending Annex XVII of Reach regulation (EC) No 1907/2006 on Organostannic compounds (formerly known as 2002/62/EC and 2009/425/EC)	Pass

Pass\*= Meet the Requirement of Client

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 3 of 12

**Results:**

Tested part(s):

- (1) Brown soft plastic<sup>①</sup>
- (2) Latin soft plastic<sup>②</sup>
- (3) Beige soft plastic<sup>③</sup>
- (4) White plastic (inner) <sup>①②③</sup>

Remark : ①Brown ②Latin ③Beige

**A. US California Proposition 65. on Phthalates (DBP, BBP, DEHP, DnHP, DINP and DIDP) content**

Test method: With reference to CPSC-CH-C1001-09.3, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL	Results	Client's Limit
			(1)+(2)+(3)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	0.1
Di-n-hexyl Phthalate (DnHP)	%	0.003	N.D.	0.1
Diisononyl Phthalate (DINP)	%	0.01	N.D.	0.1
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	0.1
<b>Conclusion</b>	/	/	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Bay Area Compliance Laboratories Corp. (Dongguan)**

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China  
 Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 4 of 12

## B. Phthalates (DBP, BBP, DEHP, DNOP, DINP and DIDP) content

Test method: With reference to CPSC-CH-C1001-09.3, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL	Results	Client's Limit
			(1)+(2)+(3)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	---
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	---
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	---
DBP + BBP + DEHP	%	/	N.D.	0.1
Di-n-octyl Phthalate (DNOP)	%	0.003	N.D.	---
Diisononyl Phthalate (DINP)	%	0.01	N.D.	---
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	---
DNOP + DINP + DIDP	%	/	N.D.	0.1
<b>Conclusion</b>	/	/	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- The results less than MDL are not taken into account while calculating the sum contents.
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 5 of 12

**C. Commission Regulation (EU) 2015/2030 and (EU) No 519/2012 amending Regulation (EC) No 850/2004 of the European Parliament and of the Council on Persistent Organic Pollutants - Alkanes, C10-13, Chloro (short chain chlorinated paraffins) content**

Test method: With reference to US EPA 3540C:1996/ US EPA 3550C:2007 & US EPA 8270D:2007, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Articles

Item	Unit	MDL	Results	Limit
			(1)+(2)+(3)	
Alkanes, C10-13, chloro(Short Chain Chlorinated Paraffins)	%	0.01	N.D.	0.15
<b>Conclusion</b>	/	/	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- mg/kg = ppm 0.1%=1000 mg/kg
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China  
Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 6 of 12

**D. Entry 23 of Regulation (EC) No 552/2009 and 494/2011 amending Annex XVII of Reach regulation (EC) No 1907/2006 on Cadmium (Cd )content(formerly known as 91/338/EEC)**

Test method: With reference to EN1122:2001 and US EPA 3052:1996/ EPA 3050B:1996 & US EPA 6010C:2007, by acid digestion and analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES) or Atomic Absorption Spectrometry (AAS).

Item	Unit	MDL	Results		Limit
			(1)+(2)+(3)	(4)	
Cadmium (Cd)	mg/kg	10	N.D.	N.D.	100
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- “+”= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 7 of 12

**E. Canada Products Containing Mercury Regulations (SOR/2014-254)**

Test method: With reference to IEC62321-4:2013, by acid digestion and analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES)

Items	Unit	MDL	Results		Limit
			(1)+(2)+(3)	(4)	
Mercury (Hg)	%	0.001	N.D.	N.D.	0.1
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- “+”= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant’s request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Bay Area Compliance Laboratories Corp. (Dongguan)**

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 8 of 12

**F. Entry 50 of Annex XVII to Reach regulation (EC) No 1907/2006 and its amendment directives on PAHs content**

Test method: With reference to AfPS GS 2014:01 PAK, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	CAS No.	Unit	MDL	Results			Limit
				(1)	(2)	(3)	
Benzo(a)pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.	N.D.	N.D.	1
Benzo(e)pyren (BeP)	192-97-2	mg/kg	0.2	N.D.	N.D.	N.D.	1
Benzo(a)anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.	N.D.	N.D.	1
Chrysene (CHR)	218-01-9	mg/kg	0.2	N.D.	N.D.	N.D.	1
Benzo(b)fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.	N.D.	N.D.	1
Benzo(j)fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.	N.D.	N.D.	1
Benzo(k)fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.	N.D.	N.D.	1
Dibenzo(a,h)anthracene (DBA)	53-70-3	mg/kg	0.2	N.D.	N.D.	N.D.	1
<b>Conclusion</b>	/	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Note:

- N.D. = Not Detected or less than MDL.
- MDL = Method Detection Limit.
- mg/kg = ppm.
- --- = Not Regulated.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

**Bay Area Compliance Laboratories Corp. (Dongguan)**

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 9 of 12

**G. Entry 20 of Regulation (EC) No 552/2009 and 276/2010 amending Annex XVII of Reach regulation (EC) No 1907/2006 on Organostannic compounds (formerly known as 2002/62/EC and 2009/425/EC)**

Test method: With reference to ISO 17353:2004, by solvent extraction and analysis was performed by Gas Chromatographic- Mass Spectrometer (GC-MS)

Item	Unit	MDL	Results	Limit(by weight of tin)
			(1)+(2)+(3)	
Dibutyltin (DBT)	%	0.001	N.D.	0.1
Tri-substituted Organostannic compounds(TBT, TPhT)	%	0.001	N.D.	0.1
Diocetyl tin(DOT)	%	0.001	N.D.	0.1
<b>Conclusion</b>	<b>/</b>	<b>/</b>	<b>Pass</b>	<b>/</b>

Remark:

- (1) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is acting as biocide in free association paint.
- (2) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture acts as biocide to prevent the fouling by micro-organisms, plants or animals of:
  - (a) all craft irrespective of their length intended for use in marine, coastal, estuarine and inland waterways and
  - (b) cages, floats, nets and any other appliances or equipment used for fish or shellfish farming;
  - (c) any totally or partly submerged appliance or equipment.
- (3) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters.
- (4) Tri-substituted organostannic compounds  
 Tri-substituted organostannic compounds such as tributyltin (TBT) compounds and triphenyltin (TPT) compounds shall not be used after 1 July 2010 in articles where the concentration in the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin. Articles not complying with paragraph 4(a) shall not be placed on the market after 1 July 2010, except for articles that were already in use in the Community before that date.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 10 of 12

(5) Dibutyltin (DBT) compounds

- (a) Dibutyltin (DBT) compounds shall not be used after 1 January 2012 in mixtures and articles for supply to the general public where the concentration in the mixture or the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin.
- (b) Articles and mixtures not complying with paragraph 5(a) shall not be placed on the market after 1 January 2012, except for articles that were already in use in the Community before that date.
- (c) By way of derogation, paragraphs 5(a) and (b) shall not apply until 1 January 2015 to the following articles and mixtures for supply to the general public:
  - one-component and two-component room temperature vulcanisation sealants (RTV-1 and RTV-2 sealants) and adhesives,
  - paints and coatings containing DBT compounds as catalysts when applied on articles,
  - soft polyvinyl chloride (PVC) profiles whether by themselves or coextruded with hard PVC,
  - fabrics coated with PVC containing DBT compounds as stabilisers when intended for outdoor applications,
  - outdoor rainwater pipes, gutters and fittings, as well as covering material for roofing and façades. By way of derogation, paragraphs 5(a) and (b) shall not apply to materials and articles regulated under Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food.

6. Dioctyltin (DOT) compounds

- (a) Dioctyltin (DOT) compounds shall not be used after 1 January 2012 in the following articles for supply to, or use by, the general public, where the concentration in the article, or part thereof, is greater than the equivalent of 0,1 % by weight of tin:
  - textile articles intended to come into contact with the skin
  - gloves,
  - footwear or part of footwear intended to come into contact with the skin,
  - wall and floor coverings,
  - childcare articles,
  - female hygiene products,
  - nappies,
  - two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits),
- (b) Articles not complying with paragraph 6(a) shall not be placed on the market after 1 January 2012, except for articles that were already in use in the Community before that date.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 11 of 12

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- The results less than MDL are not taken into account while calculating the sum contents.
- "---"=Not Regulated
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun,Puxinhu Industrial Zone,Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2DG1702162062E

Date: March 8, 2017

Page 12 of 12

Photograph of Sample



BACL authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891