

TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 1 of 7

DONGGUAN CITY LIYANG TOYS LTD.

Floor 3, Building 2, Daxingwei Industry, Xianxi, Wusha, Chang'An Town, Dongguan City, Guangdong Province

Report on the submitted samples said to be:

Sample Description	: BL-24110, B Yours - BasicAnal Plug - Pink; BL-23171 - B Yours - Basic Beads - Purple; BL-24162 - B Yours - Basic Anal plug - Blue; BL-24115 - Performance - Beginner's Butt Plug - Black
Tested Style/ Items No. ^①	: BL-24110, BL-23171, BL-24162, BL-24115
Additional Styles/ Items No. ^②	: BL-23110, BL-23162, BL-24162, BL-10500, BL-10502
Country of origin	: China
Sample Receiving Date	: August 28, 2017
Testing Period	: From August 28, 2017 to August 31, 2017
Results	: Please refer to next page(s).
Remark	: ①The tested Style/ Item No. is tested by the lab. ②The Additional Styles/ Items No. declared in the applicant's declaration are not tested, their materials are the same as the tested parts and the result of the test report is only responsible for the test sample.

Signed for and on behalf of

BACL



Checked by:

Jane Xu
Technical Supervisor

Approved by:



William Wei
Laboratory Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China
Tel: +86-769-86858888 Fax: +86-769-86858891



TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 2 of 7

Summary of Test Results

TEST REQUEST

CONCLUSION

A	US California Proposition 65. on Lead content	Pass*
B	US California Proposition 65. on Phthalates (DBP, BBP, DEHP, DnHP, DINP and DIDP) content	Pass*
C	Phthalates (DBP, BBP, DEHP, DNOP, DINP and DIDP) content	Pass*
D	Commission Regulation (EU) 2015/2030 and (EU) No 519/2012 amending Regulation (EC) No 850/2004 of the European Parliament and of the Council on Persistent Organic Pollutants - Alkanes, C10-13, Chloro (Short Chain Chlorinated Paraffins) content	Pass

Pass*= Meet the Requirement of Client

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 3 of 7

Results:

Tested part(s):

- (1) Pink transparent PVC
- (2) Purple transparent PVC
- (3) Blue transparent PVC
- (4) Black PVC

A. US California Proposition 65. on Lead content

Test method: With reference to US EPA 3052:1996/ EPA 3050B:1996 & EPA 6010C:2007, by acid digestion and analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES) or Atomic Absorption Spectrometry (AAS).

Total Lead Content (In PVC)

Item	Unit	MDL	Results		Client's Limit
			(1)+(2)	(3)+(4)	
Lead (Pb)	mg/kg	10	N.D.	N.D.	200
Conclusion	/	/	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg=ppm
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China
 Tel: +86-769-86858888 Fax: +86-769-86858891



TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 4 of 7

B. US California Proposition 65. on Phthalates (DBP, BBP, DEHP, DnHP, DINP and DIDP) content

Test method: With reference to CPSC-CH-C1001-09.3, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL	Results		Client's Limit
			(1)+(2)	(3)+(4)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	0.1
Di-n-hexyl Phthalate (DnHP)	%	0.003	N.D.	N.D.	0.1
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	0.1
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	N.D.	0.1
Conclusion	/	/	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China
 Tel: +86-769-86858888 Fax: +86-769-86858891

TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 5 of 7

C. Phthalates (DBP, BBP, DEHP, DNOP, DINP and DIDP) content

Test method: With reference to CPSC-CH-C1001-09.3, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL	Results		Client's Limit
			(1)+(2)	(3)+(4)	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	---
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	---
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	---
DBP + BBP + DEHP	%	/	N.D.	N.D.	0.1
Di-n-octyl Phthalate (DNOP)	%	0.003	N.D.	N.D.	---
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	---
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	N.D.	---
DNOP + DINP + DIDP	%	/	N.D.	N.D.	0.1
Conclusion	/	/	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- The results less than MDL are not taken into account while calculating the sum contents.
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China
Tel: +86-769-86858888 Fax: +86-769-86858891

TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 6 of 7

C. Commission Regulation (EU) 2015/2030 and (EU) No 519/2012 amending Regulation (EC) No 850/2004 of the European Parliament and of the Council on Persistent Organic Pollutants - Alkanes, C10-13, Chloro (Short Chain Chlorinated Paraffins) content

Test method: With reference to US EPA 3540C:1996/ US EPA 3550C:2007 & US EPA 8270D:2007, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Articles

Item	Unit	MDL	Results		Limit
			(1)+(2)	(3)+(4)	
Alkanes, C10-13, chloro(Short Chain Chlorinated Paraffins)	%	0.01	N.D.	N.D.	0.15
Conclusion	/	/	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- mg/kg = ppm 0.1%=1000 mg/kg
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China
Tel: +86-769-86858888 Fax: +86-769-86858891

TEST REPORT

REPORT No.: R2DG1708282447E

Date: August 31, 2017

Page 7 of 7

Photograph of Sample



BACL authenticate the photo on original report only

*** End of Report ***

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891